

**To:** Jones, Joel E.[Jones.Joel@epa.gov]  
**Cc:** Salazar, Matt[Salazar.Matt@epa.gov]; Spiegelman, Nina[Spiegelman.Nina@epa.gov]  
**From:** Johnson, Kathleen  
**Sent:** Thur 12/29/2016 2:58:05 AM  
**Subject:** Re: Conditional Approval of Exide Technologies, Inc.'s Gantry Plan

Good but let's bring in OECA sooner than later

Sent from my iPhone

On Dec 28, 2016, at 6:04 PM, Jones, Joel E. <[Jones.Joel@epa.gov](mailto:Jones.Joel@epa.gov)> wrote:

Yes, Matt is working with Air Division staff on their request and has a meetings scheduled on 1/11 to discuss.

Sent from my iPhone

On Dec 28, 2016, at 5:15 PM, Johnson, Kathleen <[Johnson.Kathleen@epa.gov](mailto:Johnson.Kathleen@epa.gov)> wrote:

Joel,

I just talked with Deb about this. I think Matt may already be working on the applicability letter, perhaps with Air Division. Please make sure that we coordinate with HQ – Phill's shop on this. Its important we get a rapid response so that the closure work can go forward expeditiously.

Kathleen H. Johnson

Director, Enforcement Division

U.S. EPA - Region 9

75 Hawthorne Street ENF-1

San Francisco, CA 94015

415/972-3873

[johnson.kathleen@epa.gov](mailto:johnson.kathleen@epa.gov)

**From:** Jordan, Deborah  
**Sent:** Wednesday, December 28, 2016 4:28 PM  
**To:** Johnson, Kathleen <[Johnson.Kathleen@epa.gov](mailto:Johnson.Kathleen@epa.gov)>; Adams, Elizabeth <[Adams.Elizabeth@epa.gov](mailto:Adams.Elizabeth@epa.gov)>  
**Subject:** FW: Conditional Approval of Exide Technologies, Inc.'s Gantry Plan  
**Importance:** High

Please see below Mohsen's request regarding the NESHAPs applicability decision when we issue it. Thanks.

**From:** Nazemi, Mohsen@DTSC [<mailto:Mohsen.Nazemi@dtsc.ca.gov>]  
**Sent:** Wednesday, December 28, 2016 2:32 PM  
**To:** Jordan, Deborah <[Jordan.Deborah@epa.gov](mailto:Jordan.Deborah@epa.gov)>; Spiegelman, Nina <[Spiegelman.Nina@epa.gov](mailto:Spiegelman.Nina@epa.gov)>  
**Subject:** Conditional Approval of Exide Technologies, Inc.'s Gantry Plan  
**Importance:** High

Hi Debbie and Nina,

Thanks for your voice messages and sorry I wasn't able to pick up the phone, as I was on a couple of other conference calls. Please note that DTSC has issued our Conditional Approval of the Gantry System, with the caveat that Exide has to comply with any other requirements of US EPA and SCAQMD. Attached please find the Conditional Approval Letter that we sent to Exide yesterday regarding the Gantry System. Please let me know if you have any questions. Thanks again for all your help.

P.S. Can you please have your staff copy me on US EPA's response to Exide's December 14, 2016 NESHAP applicability letter (also copy attached as second attachment) once you have finalized your decision? Thanks.

***Mohsen Nazemi, M.S., P.E.***

**Deputy Director**


*Cal EPA/Department of Toxic Substances Control*

*Brownfields & Environmental Restoration Program*

*Cypress (714) 484-5321/Sacramento (916) 445-7076*

*(714) 484-5323 fax*

*[mohsen.nazemi@dtsc.ca.gov](mailto:mohsen.nazemi@dtsc.ca.gov)*



**From:** Smith, Kim@DTSC

**Sent:** Tuesday, December 27, 2016 4:52 PM

**To:** [john.hogarth@na.exide.com](mailto:john.hogarth@na.exide.com)

**Cc:** Patel, Suhasini@DTSC <[Suhasini.Patel@dtsc.ca.gov](mailto:Suhasini.Patel@dtsc.ca.gov)>; Ruttan, Peter@DTSC <[Peter.Ruttan@dtsc.ca.gov](mailto:Peter.Ruttan@dtsc.ca.gov)>; Wetter, Matthew@DTSC <[Matthew.Wetter@dtsc.ca.gov](mailto:Matthew.Wetter@dtsc.ca.gov)>; Myers, Perry@DTSC <[Perry.Myers@dtsc.ca.gov](mailto:Perry.Myers@dtsc.ca.gov)>; Holman, Jennifer@DTSC <[Jennifer.Holman@dtsc.ca.gov](mailto:Jennifer.Holman@dtsc.ca.gov)>; [gwen.tellegen@na.exide.com](mailto:gwen.tellegen@na.exide.com); [pgstratman@advancedgeoservices.com](mailto:pgstratman@advancedgeoservices.com); [jdijoseph@advancedgeoservices.com](mailto:jdijoseph@advancedgeoservices.com); [daniel.henke@exide.com](mailto:daniel.henke@exide.com); [nicolas.serieys@altaenviron.com](mailto:nicolas.serieys@altaenviron.com); [adejbakhsh@aqmd.gov](mailto:adejbakhsh@aqmd.gov); [rvisser@sheppardmullin.com](mailto:rvisser@sheppardmullin.com); [jwhynot@aqmd.gov](mailto:jwhynot@aqmd.gov); Nazemi, Mohsen@DTSC <[Mohsen.Nazemi@dtsc.ca.gov](mailto:Mohsen.Nazemi@dtsc.ca.gov)>; Carroll, Ann@DTSC <[Ann.Carroll@dtsc.ca.gov](mailto:Ann.Carroll@dtsc.ca.gov)>

**Subject:** Conditional Approval of Exide Technologies, Inc.'s Gantry Plan

Dear All,

This email is being sent on behalf of Mohsen Nazemi, Deputy Director, Brownfields and Environmental Restoration Program, DTSC.

Please find attached the Conditional Approval of Exide Technologies, Inc.'s Gantry Plan.

Thank you.

<removed.txt>

<Conditional Approval of Exide Technologies, Inc.'s Gantry Plan - December 27, 2016.pdf>

<NESHAP and Exide Title V Permit 12-14-16.pdf>